

Features

- 0.39 inch(9.9mm)Digit Height
- Continuous uniform segments
- Low power requirement
- Excellent characters appearance
- Wide viewing angle
- Solid state reliability

Description

The GT-403910G-B is a 0.39 (9.9mm) digit height

4 digit seven-segment with several icons display.

This device is multi-color applicable display,it uses

BRIGHT-GREEN LED chipcs.

The display has a red face and white segments.

Device

Part no.	Description
GREEN	Multiplex Common Cathode
GT-403910G-B	

PIN CONNECTION

NO	CONNECTION
1	COMMON CATHODE DIG1
2	ANODE D
3	COMMON CATHODE DIG2
4	COMMON CATHODE K1、K2
5	ANODE K1、K2
6	COMMON CATHODE DIG3
7	COMMON CATHODE DIG4
8	ANODE 2E、3E、4E
9	ANODE A
10	ANODE F
11	ANODE B
12	ANODE C
13	ANODE 1E
14	ANODE G

TYPE: GT-403910G-B

SIZE: 40.0mm × 14.0mm × 7.0mm

Absolute Maximum Ratings

Parameter	Symbol	Ratings
Peak Forward current per Dice (Duty cycle 1/10.10KHZ)	I _{pf}	100mA
Continuous Forward current per Dice	I _f	25 mA
Reverse Voltage	V _R	5V
Operating Temperature	T _{opr}	-25to+85°C
Storage temperature	T _{stg}	-25to+85°C
Soldering Temperature: 1/16Inch below seating place for 5 seconds		260°C

Electro-Optical Characteristics:


Parameter	Symbol	Condition	Typ.	Max.	Unit
Forward Voltage	V _F	I _F =20mA	2.1	---	V
Reverse Current	I _R	V _R =5V	---	50	uA
Luminous Intensity	I _V	I _F =20mA	10	---	mcd
Peak Emission Wavelength	λ _P	I _F =20mA	571	---	nm
Spectrum width of Half Value	Δλ	I _F =20mA	20	---	nm

Recommend: It should be drive by stable current

TYPE: GT-403910G-B

SIZE: 40.0mm × 14.0mm × 7.0mm

Package Dimension (Unit:mm)



Internal Circuit Diagram

